

TO BE THE WORLD'S NEXT
LEADING BRAND



www.tri-acetyre.com

TRI-ACE[®]



**TO BE THE WORLD'S NEXT
LEADING BRAND**





"It would be a nice experience, if we can make and supply tires to meet different needs from drivers who love and enjoy driving."

Mark Ma

Founder of TRI-ACE TIRES

Racing on the Track, exploring into the Wild.

TRI-ACE TIRES, originates from an engineer's passion and dream.



ABOUT US



TRI-ACE registered in 2002.

The company specializes in radial tire R&D and worldwide sales & marketing. TRI-ACE has a professional technical team with senior technical experts from the world's leading tire companies, which owns the advanced tire design and development technology.

The company also works together with Taiwan Automotive Research & Testing Center (ARTC) for new tread pattern R&D as well as various lab testing and field testing. Thanks to its flexible and quick reaction to the changing market demand, and thanks to its experienced sales and marketing team working together with all Tri-Ace partners, footprints of TRI-ACE TIRES has covered North America, South America, Europe, Oceania, Middle East, and so on.

The company is committed to providing the best tire solutions and exceptional driving experience for all customers!

Terrific Technology

T

Radical Rim Diameter

R

Incredible Quality

I

All consumers are first and foremost in our mind

A

Channels of distribution so that all customers can easily get our products

C

Exceptional focus on design, quality and service to be the NO.1 brand

E





TECHNICAL TEAM

FOUNDER



TECHNICAL EXPERT

MARK MA

Well-known Technical Expert in Tire Industry in China

RACER



QUALITY MONITORING EXPERT

JUSTIN DAVIS

Well-known Off-road Racer in America

BUSINESS PHILOSOPHY



INNOVATION

Driving Force behind Sustainable Company Growth



INTEGRITY

Principal of Our Business Behavior



EFFICIENCY

Our Way to Win out in the Competitive Market



WIN-WIN COOPERATION

We, Our Partners and Users



VETERAN IN AMERICA

GLORIOUS HISTORY

2002
TRI-ACE TIRES established.



2011
Launched the world's first 305/25R32.



2007
Launched run-flat tire, 225/55R17.

2012
Won the title of WDS, Thailand.



2013
Launched the world's first MT tire, 37x13.50R26LT.

2015
• Launched world's first blue-smoking drift tire and it was used in a Hollywood movie.
• Got two second places in Drift Allstar in Europe.



2014
Launched racing tire, Racing King 285/35R18.



2016
Won D1 GP Championship in Japan.

2018
Won in BAJA 500/BAJA 1000. Launching the world's first 405/20R28 UHP size.



2020
The journey of making differences, continues.



2019
• Firstly launched the world's largest MT tire 44x16.5R30LT
• Developed second run-flat tire, Carrera Pro.











TECHNOLOGY

PRODUCT INNOVATION


More than **1,800** sizes and **23** tread patterns have been developed by TRI-ACE TIRE, forming a full range of passenger car tires, including HP, UHP, HT/SUV, AT, MT, RT, LTR, RFT, COMPETITION.

TREAD PATTERN				
SERIES	M/T	A/T	Drift/Rally	RFT
SIZE(INCH)	16-26	15-22	15-20	17-22
ASPECT RATIO (%)	40-85	40-75	30-55	25-60

VEHICLE TYPE								
SERIES	PCR / UHP	H/T SUV	A/T	M/T	R/T	Van/LT	RFT	Drift/Rally
SIZE(INCH)	12" - 32"	15" - 22"	15" - 30"	15" - 28"	15" - 22"	13" - 16"	17" - 22"	15" - 20"
ASPECT RATIO (%)	20-80	40-75	40-85	40-85	50-85	60-80	25-60	25-80

PATENTED TECHNOLOGY & GLOBAL CERTIFICATION

TRI-ACE TIRES is tested/certified by CCC, DOT, EMARK, GCC and Smithers, and have obtained **82** patents.



INTERNATIONAL

TRI-ACE TIRES registered its brands in over **60** countries/regions



GLOBAL PLI & WARRANTY

PRODUCT LIABILITY INSURANCE
TRI-ACE
Product Liability: Global coverage, insured by JORDAN & JORDAN, USA.
Jordan & Jordan Insurance Group
Reliable Protection is the key to Prosperity

LIMITED WARRANTY
TRI-ACE
5 Years
45,000 | 60,000 miles warranty

BRAND STORY

Not a racing brand, but can win the competition

Team - Green Army






Justin began racing at the young age of 14 in his 1600 car in the SNORE and MORE series. Justin has participated in all forms of off-road racing since he got started in these grass-roots racing organizations. Justin has spent many hours clicking off miles to gain valuable experience in the 1600, Class 12, Unlimited Class 1, and now the two current vehicles the Class 10 car and the Trophy Truck.

Team - FDC Motorsport

2 TIME NEW ZEALAND DRIFTING CHAMPION.
2006 D1NZ Drift Champion.
2013 D1NZ Drift Champion.



List of international competitions

 <p>2018-2019</p> <ul style="list-style-type: none"> Mint 400 ★ Silver States ★ Laughlin Desert Classic ★ Vegas to Reno ★ 	 <p>2018-2019</p> <table border="0"> <tr> <td>BAP ★</td> <td>Snore 250 ★</td> </tr> <tr> <td>MT 250 ★</td> <td>Rage at the River ★</td> </tr> <tr> <td>Caliente 250 ★</td> <td>Battle at Primm ★</td> </tr> <tr> <td>KC Midnight Special ★</td> <td>Knotty Pine 250 ★</td> </tr> </table>	BAP ★	Snore 250 ★	MT 250 ★	Rage at the River ★	Caliente 250 ★	Battle at Primm ★	KC Midnight Special ★	Knotty Pine 250 ★
BAP ★	Snore 250 ★								
MT 250 ★	Rage at the River ★								
Caliente 250 ★	Battle at Primm ★								
KC Midnight Special ★	Knotty Pine 250 ★								
 <p>2018-2019</p> <ul style="list-style-type: none"> Slash X ★ Slash X Ranch ★ PCI Radio 300 ★ Transaxle Eng. ★ McKenzies 300 ★ 	 <p>2018-2019</p> <ul style="list-style-type: none"> San Felipe 250 ★ BAJA 500 ★ BAJA 1000 ★ 	 <p>2018-2019</p> <ul style="list-style-type: none"> NORRA 1000 ★  <p>2019-2020</p> <ul style="list-style-type: none"> DRIFT MASTERS ★ 							

BRAND STORY

TRI-ACE THE WORLD'S FIRST BLUE smoke semi-slick tires.
Favored in Hollywood's special effect making



PRODUCT LINE-UP

Test and improve the quality in the FIERCE RACINGS



RUN-FLAT TIRE		UHP			A/T	M/T	HP		LT		SNOW TIRE		RACING KING
CARRERA	CARRERA PRO	CARRERA PRO	CARRERA	FORMULA-1	PIONEER A/T3	PIONEER M/T	PRADA	A26	B22	B26	WINTER GRIP	SNOW WHITE II	RACING KING



CARRERA

SELF-SUPPORTING RUN FLAT TIRE



Unique sidewall steel wire protection technology that keeps you safe all the time



Even if the tire pressure drops to 0kpa, CARRERA S RUN-FLAT tires can safely drive no less than 150 kilometers at 80 km/h.

> Carrera Run-Flat tire can safely drive on for at least 150kms at the speed of 80km/h when the tire pressure drops to 0kpa.

Safe and worry-free

More comfortable ride

Better fuel efficiency

Self-supporting run-flat technology

CHARACTERISTICS <



Sidewall-Reinforced Rubber + ST reinforced steel



Asymmetric tread pattern design for precise handling



Wider tread design to improve life expectancy



Improved racing tire compound application provides excellent grip

THE STRUCTURE OF RUN-FLAT TIRES <

Low rolling resistance rubber

Adopting low rolling resistance tread rubber conforming to EU standards can save oil significantly.

ST steel wire

Using new ST steel wire, lower weight and higher strength.

ST belt steel wire

Support glue

High hardness bead ring filler glue

ST steel wire reinforcement

High strength bead ring



THREE MAJOR FEATURES <



More safer Innovation structure

> New Sidewall-Reinforced Rubber, Even with a loss of air pressure, load is supported by the side-wall reinforced rubber, can be safely driven without losing control no less than 150kms at 80km/h.
> ST reinforced steel sidewall improves the rigidity of the tire bead to inhibit deformation, prevent the separation of the tire bead from the rim when the pressure is lost, secure the driving durability under pressure.



More comfortable Innovative technology

> ST steel belt + ST reinforced steel sidewall, strengthen sidewall support effectively reduce the thickness of the support glue, improve the tire crown flexibility, better ride comfort.



More oil-saving innovative materials

> EU standard tread rubber, Low rolling resistance for better fuel efficiency.

PRODUCTLIST <

RIM	SIZE	LOAD AND SPEED INDEX
22	315/35R22	111Y
	305/35R22	110W
	285/35R22	106V
	275/40R22	107W
21	355/25R21	107Y
	325/30R21	108W
	315/40R21	111W
	295/40R21	111W
	295/35R21	107W
	285/35R21	107W
	275/45R21	110W
	275/35R21	103W
	275/30R21	98Y
	265/35R21	101Y
245/40R21	100Y	
20	315/35R20	110V
	295/45R20	114V
	295/40R20	110W
	275/50R20	113W
	275/40R20	106V

RIM	SIZE	LOAD AND SPEED INDEX
20	275/35R20	102W
	275/30R20	97W
	265/45R20	108W
	255/45R20	105V
	255/30R20	92W
	245/45R20	103W
	245/40R20	99W
	245/35R20	98W
	225/35R20	93W
	19	285/45R19
275/40R19		105W
275/35R19		100W
275/30R19		96W
255/50R19		103W
255/40R19		100W
255/35R19		96W
245/50R19		105W
245/45R19		102W
245/40R19		98W
17	245/35R19	93W
	235/45R19	99Y

RIM	SIZE	LOAD AND SPEED INDEX	
19	225/45R19	92Y	
	225/40R19	89Y	
	275/40R18	103W	
	255/55R18	105W	
	255/45R18	103W	
	255/40R18	95W	
	245/50R18	104W	
	245/45R18	100W	
	18	245/40R18	97W
		235/60R18	103V
235/55R18		104W	
235/50R18		101W	
225/50R18		99W	
225/45R18		95Y	
225/40R18		92W	
17		245/45R17	99W
		225/60R17	99V
		225/55R17	101V
	225/50R17	98Y	
	225/45R17	94W	
	205/45R17	88W	



CARRERA PRO Run-flat Tires

New technology
New driving experience.



Unique sidewall steel wire protection technology keeps you safe all the time

Jordan & Jordan Insurance Group
The United States Jordan Insurance global contract


► Carrera Pro Run-Flat tire can safely drive on for at least 150kms at the speed of 80km/h when the tire pressure drops to 0kpa.

High mileage

Low noise and comfortable

Drive no less than 150km at or below a speed of 80km/h under 0 kpa

CHARACTERISTICS



Concise four-groove tread pattern
Excellent grip




Fine grooves on the tread
Quiet and comfortable



Integrated tire shoulder design
Accurate control




High strength belt steel wire
Ensure driving safety



Improved racing tire formula
Excellent grip

THE STRUCTURE OF RUN-FLAT TIRES



THREE MAJOR FEATURES

- More safer Innovation structure**

► The self-supporting adhesive can ensure that the tire has high support force in the state of lack of gas and loss of pressure, and can drive safely not less than 150km at a speed of 80km/h in the state of loss of pressure.

► ST steel wire reinforcement layer improves the rigidity of the tire bead to inhibit deformation, prevent the separation of the tire bead from the rim when the pressure is lost, and improve the mileage under the lost pressure.
- More comfortable Innovative technology**

► Adopt the innovative technology of ST belt steel wire + ST reinforcing steel wire, and strengthen the support force of tire sidewall, effectively reduce the thickness of the support glue, and improve the softness of the tire crown at the same time, ensure that the tire has better flexibility and shock absorption performance, which make the driving more comfortable.
- More oil-saving innovative materials**

► The tread rubber of low rolling resistance conforming to EU standards is adopted, which make tires low rolling resistance and more remarkable oil saving.

PRODUCTLIST

RIM	SIZE	LOAD AND SPEED INDEX
22	315/30R22	107Y
	285/45R22	114V
	285/40R22	110Y
	285/35R22	106Y
	275/40R22	107Y
	275/35R22	104Y
21	315/35R21	111Y
	285/45R21	113Y
	275/50R21	113V
	275/45R21	110Y
	275/40R21	107Y
	275/30R21	98Y
	255/45R21	102Y
20	305/40R20	112Y
	285/50R20	116V
	275/55R20	117V
	275/50R20	113W

RIM	SIZE	LOAD AND SPEED INDEX
20	275/45R20	102Y
	255/50R20	109W
	255/45R20	105V
	245/45R20	99W
	245/40R20	99W
	245/35R20	95W
	225/35R20	93W
19	275/40R19	106V
	255/55R19	107W
	255/50R19	107V
	245/50R19	105V
	245/45R19	102W
	245/40R19	98W
	235/55R19	101W
17	235/45R19	99Y
	225/45R19	92W

RIM	SIZE	LOAD AND SPEED INDEX	
19	225/40R19	89W	
	255/55R18	109V	
	255/45R18	103W	
	245/50R18	100W	
	245/45R18	100W	
	235/60R18	103W	
18	235/50R18	101W	
	225/50R18	99W	
	225/45R18	95Y	
	225/40R18	92W	
	17	235/55R17	103V
		225/55R17	101V
225/50R17		98Y	
225/45R17		94W	
16	205/55R17	95W	
	225/55R16	99W	
	205/60R16	96W	

RACING TECHNOLOGY,
EXCELLENT CONTROL

CARRERA PRO
UHP Tires



CARRERA PRO

70% racing track +30% on road

RACING KING
100% racing track

PRADA
100% on road




- Integration of semi-slick tire and UHP
- High flexibility steel wire on the sidewall

- CARRERA PRO is a sport high-performance tire for high-end model cars, which can meet the demands of car owners for control and driving experience.
- It is a high-performance tire with racing tire formula (semi-hot melt) and wear resistance index below 280, meeting the needs of 70% on road and 30% racing track.
- It is also a high-performance tire with high-flexibility steel wire on the sidewall, which enables the sidewall of the tire to transmit torque faster, improves the instant response capability, and brings the owner the driving pleasure of extreme control.

CHARACTERISTICS



Improved racing tire formula
Excellent grip



High strength belt steel wire
Ensure driving safety



Fine groove
Quiet and comfortable



Asymmetric pattern
Accurate control

THE STRUCTURE OF RUN-FLAT TIRES

Formula of semi-hot melt tread rubber



BEKAERT high flexibility steel wire

THREE MAJOR FEATURES

- Excellent controllability**
 - Adopt the improved formula of racing tires to meet the needs of 70% on road and 30% racing track.
 - The sidewall is exclusively reinforced by BEKAERT high-flexibility steel wire to prevent the impact and improve the rigidity of the sidewall.
- Super mute**
 - Unique longitudinal groove wall fine groove design to reduce airflow impact noise.
 - The bottom of the transverse groove adopts anti-vibration reinforcement to reduce the resonance noise of the pattern blocks.
- Precision braking**
 - Use the improved racing tire formula, combining with the flexible pattern design to make the tire grounding pressure distribution reasonable and the braking distance shorter.

PRODUCT LIST

RIM	SIZE	LOAD AND SPEED INDEX
22	325/30R22	109Y
	315/30R22	107Y
	285/45R22	114V
	285/40R22	110Y
	285/35R22	92V
	275/40R22	97Y
	275/35R22	94W
	265/40R22	106V
21	315/35R21	111Y
	295/40R21	111W
	285/45R21	113Y
	275/50R21	113V
	275/45R21	110Y
	275/40R21	107Y
	275/30R21	98Y
	265/45R21	104W
	265/40R21	105W
	255/45R21	102Y
20	315/35R20	110V
	305/40R20	112Y
	285/50R20	116V
	275/55R20	117V
	275/50R20	113W

RIM	SIZE	LOAD AND SPEED INDEX
20	275/45R20	110W
	275/40R20	106V
	275/35R20	102Y
	265/50R20	112V
	265/45R20	108W
	255/50R20	109V
	255/45R20	105V
	245/45R20	99W
	245/40R20	99W
	245/35R20	95W
19	225/35R20	93W
	275/40R19	106V
	275/35R19	100W
	265/50R19	110V
	255/55R19	111W
	255/50R19	107V
	255/40R19	100W
	245/50R19	105V
	245/45R19	102W
	245/40R19	98W
17	235/55R17	103V
	235/45R17	94W
	225/55R17	101W
	225/50R17	98W
	225/45R17	94W
	205/55R17	95W
16	225/55R16	99W
	205/60R16	92V

RIM	SIZE	LOAD AND SPEED INDEX
19	225/45R19	96W
	225/40R19	93W
	255/55R18	109V
	255/45R18	103W
	245/50R18	104W
	245/45R18	100W
	245/40R18	97Y
	235/60R18	103V
	235/50R18	101W
	235/45R18	94W
18	225/50R18	99W
	225/45R18	95W
	225/40R18	92W
	235/55R17	103V
	235/45R17	94W
	225/55R17	101W
	225/50R17	98W
	225/45R17	94W
	205/55R17	95W
	16	225/55R16
205/60R16		92V

PRODUCT FEATURES AND ADVANTAGES
Product performance chart



Performance superiority	Pattern Features	Pattern effect
Popular asymmetric pattern design	<ul style="list-style-type: none"> The combination of the lateral semi-closed pattern and the coherent longitudinal pattern The design of the two longitudinal ditches on the inside and the design of the transverse ditches through the shoulders Adopt a mixed pitch arrangement design 	<ul style="list-style-type: none"> Accurate turning and straight-line driving handling Excellent drainage and wet skid resistance Reduce noise
Safe driving guarantee	<ul style="list-style-type: none"> The non-joint winding and high strength belt steel wire 	<ul style="list-style-type: none"> Improve safety performance
Long mileage	<ul style="list-style-type: none"> The unique widened driving surface design 	<ul style="list-style-type: none"> Improve safety and increase mileage
Excellent grip	<ul style="list-style-type: none"> The improved racing tire formula can make the tire quickly reach the driving temperature of the road surface when driving. 	<ul style="list-style-type: none"> Improve the adaptability of the tires on the roads



CARRERA

UHP | Applicable models



➤ According to the characteristics of urban roads and expressways, the TRI-ACE CARRERA UHP tire applies the improved racing tire formula, which not only maintains low rolling resistance, but also has accurate control and excellent grip, not only has the longer mileage, but it is also safe and worry-free, realizing excellent control and wonderful driving experience.

PRODUCTLIST

RIM	SIZE	LOAD AND SPEED INDEX	
28	405/20R28	114V	
26	P405/23R26	114V	
24	P405/25R24	116V	
23	315/25R23	102Y	
	285/40R23	111V	
	325/35R22	110Y	
	305/40R22	114V	
	305/35R22	110W	
22	295/35R22	108W	
	295/30R22	103W	
	285/45R22	114W	
	285/35R22	112W	
	285/35R22	106V	
	285/25R22	95W	
	275/40R22	107W	
	265/35R22	102W	
	265/30R22	97W	
	255/30R22	95W	
	245/30R22	92W	
	245/25R22	87W	
	21	375/25R21	111Y
		355/25R21	107Y
		325/30R21	108W
325/25R21		102Y	
315/40R21		111Y	
305/25R21		98Y	
295/40R21		111W	
295/35R21		107W	
295/25R21		96Y	
285/35R21		107W	
285/30R21		100Y	
275/45R21		110W	
275/35R21		103W	
275/30R21		98Y	
265/45R21		104W	
265/40R21	105W		
265/35R21	101Y		
245/35R21	96W		
20	315/35R20	110V	
	295/45R20	114V	
	295/35R20	105W	
	285/50R20	116V	

RIM	SIZE	LOAD AND SPEED INDEX
20	285/30R20	99W
	285/25R20	93W
	275/55R20	117V
	275/50R20	113W
	275/45R20	111V
	275/40R20	106V
	275/35R20	102W
	275/30R20	97W
	275/25R20	91Y
	265/50R20	111V
	265/50R20	112V
	265/45R20	108W
	255/45R20	105V
	255/40R20	101W
	255/35R20	97W
19	255/35R20	102W
	255/30R20	92W
	245/45R20	103W
	245/40R20	99W
	245/35R20	98W
	245/30R20	90W
	225/35R20	93W
	285/35R19	103W
	285/30R19	98W
	275/40R19	105W
	275/35R19	100W
	275/30R19	96W
	265/50R19	110V
	265/30R19	93W
	255/55R19	111V
17	255/50R19	103W
	255/40R19	100W
	245/50R19	105W
	245/45R19	102W
	245/40R19	100W
	245/40R19	98W
	245/35R19	93W
	235/55R19	101V
	235/50R19	103V
	235/35R19	91W
	225/55R19	99V
	225/45R19	92Y

RIM	SIZE	LOAD AND SPEED INDEX
19	225/40R19	89Y
	155/70R19	84Q
18	285/35R18	101W
	275/40R18	103W
	275/35R18	99W
	265/35R18	97W
	255/60R18	112V
	255/55R18	109W
	255/45R18	103W
	255/40R18	95W
	245/50R18	104W
	245/45R18	100W
	245/40R18	97W
	235/60R18	103V
	235/55R18	104W
	235/55R18	104V
	235/50R18	101W
17	235/40R18	95W
	225/60R18	104V
	225/55R18	102W
	225/50R18	99W
	225/45R18	95Y
	225/40R18	92W
	215/35R18	84W
	245/45R17	99W
	235/55R17	103V
	235/45R17	97W
	225/60R17	99V
	225/55R17	101V
	225/50R17	98W
	225/45R17	94W
	215/55R17	98W
215/45R17	91W	
215/40R17	87W	
205/50R17	93W	
205/45R17	88W	
205/40R17	84W	
16	215/45R16	90W
15	195/55R15	89V
	195/50R15	86V
	185/55R15	86H

FORMULA-1 tire, excellent handling performance

PRODUCT FEATURES AND ADVANTAGES

Product performance chart



Performance superiority	Pattern Features	Pattern effect
Mute and comfortable	<ul style="list-style-type: none"> The combination of the lateral semi-closed pattern and the coherent longitudinal pattern 	<ul style="list-style-type: none"> Reduce noise and improve dry wetland performance
Excellent grip	<ul style="list-style-type: none"> The unique widened driving surface design 	<ul style="list-style-type: none"> Improved handling and increased mileage
Adopt a mixed pitch arrangement design	<ul style="list-style-type: none"> A continuous strip pattern in the middle and high pattern saturation The combination of high turn up carcass structure and seamless crown winding technology 	<ul style="list-style-type: none"> High safety and reliability Improve tire rigidity and safety
Strong inclusiveness	<ul style="list-style-type: none"> Improved racing tire formula 	<ul style="list-style-type: none"> Excellent grip

FORMULA-1

UHP | Applicable models



➤ Driving, the pleasure of driving lies in the integration of the driver and the car, not just for the high speed; Under the combination of the improved racing tire formula, the unique oriental aesthetic pattern of TRI-ACE UHP tire realizes the excellent controllability and unique driving experience.



PRODUCT LIST

RIM	SIZE	LOAD AND SPEED INDEX	RIM	SIZE	LOAD AND SPEED INDEX	RIM	SIZE	LOAD AND SPEED INDEX	
32	335/30R32	116W	21	295/40R21	111W	19	275/40R19	105W	
	335/25R32	115W		295/35R21	107W		275/35R19	100W	
	305/25R32	108W		285/35R21	107W		275/30R19	96W	
30	275/25R30	101W		285/30R21	100Y		265/50R19	110V	
	28	405/20R28		114V	275/35R21		103W	265/30R19	93W
		295/25R28		103W	265/45R21		104W	255/50R19	107V
26	275/25R28	99W		265/40R21	105W		255/40R19	100W	
	255/25R28	95V		265/35R21	101Y		245/50R19	105V	
	305/30R26	109V		245/35R21	96Y		245/45R19	102W	
	295/30R26	107V		20	315/35R20		110V	245/40R19	100W
295/30R26	107W	305/50R20	120V		245/35R19	93W			
275/25R26	98W	295/45R20	114V		235/35R19	91W			
24	305/35R24	112W	295/35R20		105W	18	285/35R18	101W	
	275/30R24	101W	285/50R20		116V		275/40R18	103W	
	275/25R24	96W	285/30R20		99W		275/35R18	99W	
23	255/30R24	97W	285/25R20		93W		265/35R18	97W	
	245/30R24	94W	275/55R20		117V		255/55R18	109V	
	305/40R23	115V	275/45R20		111V		255/55R18	109W	
	285/40R23	111V	275/40R20		106V		255/45R18	103W	
22	285/35R23	107V	275/35R20	102W	17		245/45R18	100W	
	305/45R22	118W	275/30R20	97W			245/40R18	97W	
	305/40R22	114V	275/25R20	91Y			235/50R18	101W	
	295/35R22	108W	19	265/50R20		111V	235/40R18	95W	
	295/30R22	103W		255/45R20		108W	225/50R18	99W	
	295/25R22	97W		255/50R20		109V	225/40R18	92W	
	285/45R22	114W		255/45R20		105V	215/35R18	84W	
	285/35R22	106W		255/45R20		105W	17	245/45R17	99W
	285/25R22	95W		255/40R20		101W		235/55R17	103V
	265/40R22	106W		255/35R20		97W		235/45R17	97W
	265/35R22	102W		255/30R20	92W	225/55R17		101V	
	265/30R22	97W		245/45R20	103W	225/45R17		94W	
	255/30R22	95V		245/40R20	99W	215/55R17		98W	
255/25R22	89W	245/35R20	95W	215/45R17	91W				
245/30R22	92W	245/30R20	90W	215/40R17	87W				
245/25R22	87W	225/35R20	93W	205/45R17	88W				
235/30R22	90W	225/30R20	85W	205/40R17	84W				
225/30R22	87W	285/35R19	103W						
21	325/30R21	108W	285/30R19	98W					



Pioneer AT3 is built to get there and back home, no matter what the terrain or weather is.

PRODUCT FEATURES AND ADVANTAGES

Product performance chart





PIONEER A/T3

AT | Applicable models



► Pioneer AT3 is our best choice for light trucks, SUVs, and CUVs with excellent on and off road abilities: great traction, comfortable ride, good noise control, stable handling and long mileage.

Performance superiority	Pattern Features	Pattern effect
Excellent traction performance	 <ul style="list-style-type: none"> Open tread design with indepent blocks gives great traction in mud, sand, and snow conditions. Special block edges provide more biting off the road. Aggressive sidewall design is not only for being enthusiastic but also for gripping on wet, sandy and snow roads 	<ul style="list-style-type: none"> Seamless bead wire construction makes the Pioneer AT3 strong, safe, and stable.
Bad road conditions are easy to pass	 <ul style="list-style-type: none"> The links between blocks enhance the strength of the tire and deliver stable driving and better handling. 	<ul style="list-style-type: none"> New tread compound for all weather ensures high performance on and off roads and long driving life of the tire.
Low noise	 <ul style="list-style-type: none"> The design of one-to-two pitch gives more road contact for excellent handling and produces lower noise for more comfortable driving. 	<ul style="list-style-type: none"> Pioneer AT3 is qualified by Mountain Snowflake and M+S for severe snow or wet onditions.

PRODUCTLIST

RIM	SIZE	LOAD AND SPEED INDEX
24	33X12.50R24LT	118R
22	LT325/50R22	122R
	LT305/50R22	119/116R
20	33X12.50R20LT	114R
	35X12.50R20LT	121R
	LT305/60R20	123/120R
	LT305/55R20	121/118S
	LT285/55R20	122/119S
	LT275/65R20	126/123S
19	P275/60R20	114H
	265/50R20	112H
	255/55R20	110H
18	255/60R19	113H
	255/50R19	107H
18	35X12.50R18LT	123R

RIM	SIZE	LOAD AND SPEED INDEX
18	LT285/65R18	125/122S
	LT275/65R18	126/123S
	P275/65R18	114H
	265/60R18	116H
17	255/55R18	109H
	35X12.50R17LT (LT315/70R17)	121R
	LT265/70R17	121/118R
	265/65R17	116H
16	LT245/70R17	119/116R
	LT235/80R17	120/117R
	LT235/85R16	120/116R
	LT245/75R16	108/104S
16	LT245/75R16	120/116S
	LT265/75R16	123/120R
	LT265/75R16	112/109T

PRODUCT FEATURES AND ADVANTAGES

Product performance chart

Handling performance ●●●●●★○ | Dry road condition ●●●●●★○

Wetland road conditions ●●●●●★ | Comfort performance ●●●●★○○○

Mute performance ●●●●●★○○○ | Wear resistance ●●●●●★○







PIONEER M/T

MT | Applicable models



▶ Strong traction; Excellent grip, mud discharge and drainage performance.

Performance superiority	Pattern Features	Pattern effect
Excellent traction performance	 <ul style="list-style-type: none"> ▶ The bio-inspired design of dragon's claw gives great traction in the mud terrain and makes your truck or jeep more aggressive ▶ The rim protector will ensure your safety in severe conditions ▶ The V-shape shoulder blocks greatly improve the anti-impact of sidewall 	<ul style="list-style-type: none"> ▶ Poor road conditions provide strong traction ▶ Effective rim protection ▶ Increase side collision resistance
Bad road conditions are easy to pass	 <ul style="list-style-type: none"> ▶ The seamless wire winding construction of "3+2+2" structure improves tire strength and durability to ensure the safety and improve anti-puncture ability. 	<ul style="list-style-type: none"> ▶ Improve the ability to resist pricking and impact
New comfort performance improvement	 <ul style="list-style-type: none"> ▶ Optimized blocks design and sipes layout entirely adjust the tread. The arraows in the bottom of grooves further in the wide grooves removes the shrill sound of airflow. Both of them effectively reduce the tire noise and give you a quit ride 	<ul style="list-style-type: none"> ▶ Reduce noise and improve comfort
Inclusive	 <ul style="list-style-type: none"> ▶ Super wear-resisting compound is applied for tread so as to effectively improve the wear-resistance and tear-resistance 	<ul style="list-style-type: none"> ▶ Excellent cutting resistance

PRODUCTLIST

RIM	SIZE	PR	LOADAND SPEEDINDEX
26	37X13.50R26LT	10PR	117Q
	35X13.50R26LT	10PR	118Q
24	37X13.50R24LT	10PR	120Q
	35X13.50R24LT	-	118Q
	35X12.50R24LT	8PR	124Q
22	40X15.50R22LT	10PR	129Q
	37X13.50R22LT	10PR	123Q
	35X12.50R22LT	10PR	117Q
	33X12.50R22LT	XL	109Q
21	275/50R21	8PR	115H
	40X15.50R20LT	10PR	131Q
	37X13.50R20LT	12PR	127Q
	35X12.50R20LT	10PR	126Q
	33X12.50R20LT	10PR	114Q
20	LT285/55R20	10PR	122/119Q
	LT275/55R20	8PR	120/117Q
	37X13.50R18LT	-	124Q
18	35X12.50R18LT	10PR	123Q

RIM	SIZE	PR	LOADAND SPEEDINDEX
18	33X12.50R18LT	10PR	118Q
	LT285/65R18	10PR	125/122Q
17	37X13.50R17LT	10PR	131Q
	33X12.50R17LT	10PR	120Q
	LT315/70R17	10PR	125Q
	LT295/70R17	-	128P
	LT285/70R17	10PR	121/118Q
	LT265/70R17	-	121P
16	LT205/75R17	6PR	103/100N
	LT205/75R17	8PR	106/103N
	LT205/75R17	10PR	111/108N
	LT285/75R16	-	126P
	LT265/75R16	-	123P
16	LT205/80R16	6PR	100/97N
	LT205/80R16	8PR	106/103N
	LT205/80R16	10PR	111/108N
	LT185/85R16	6PR	100/97N
	LT185/85R16	10PR	107/103N

Prada gives you not only long mileage but also noble driving

PRODUCT FEATURES AND ADVANTAGES
Product performance chart



Performance superiority	Pattern Features	Pattern effect
Excellent silent control performance	<ul style="list-style-type: none"> Four wide circumferential grooves allow for excellent drainage performance and self-cleaning ability The net-shape tread design incorporating blades, sipes, grooves, and blocks with unique edges is engineered to provide perfect handling, great noise control and shorter braking distance 	<ul style="list-style-type: none"> Excellent drainage and self-cleaning performance Control and noise reduction performance
Solid and durable	<ul style="list-style-type: none"> The construction of double wound cap + two polyster carcass + high strength steel belts gives Prada great abilities of anti-impact and puncture resistance 	<ul style="list-style-type: none"> Excellent puncture and puncture resistance on the side of the crown
High mileage	<ul style="list-style-type: none"> Wear resistance tread compound with 460 index provides longer driving life 	<ul style="list-style-type: none"> Longer service life
Oil saving lift	<ul style="list-style-type: none"> Optimized tread design plus silica application greatly reduce the rolling resistance and effectively save fuel 	<ul style="list-style-type: none"> Lower rolling resistance and fuel economy



PRADA

H/T | Applicable models



► Prada HT gives you comfortable ride and long mileage and makes your car noble.

PRODUCTLIST


RIM	SIZE	LOAD AND SPEED INDEX
23	305/40R23	115V
22	305/45R22	118W
	305/40R22	114V
20	285/50R20	116V
	275/55R20	117W
	235/45R20	108H
19	275/55R19	111W
	255/55R19	111V
	235/50R19	103V
18	225/55R19	99V
	225/55R19	99W
	285/60R18	120V
	265/60R18	114V
	255/60R18	112V
18	235/60R18	107V
	235/55R18	108V
	235/55R18	108H
	235/55R18	108H
	225/60R18	104V
	225/60R18	104V

RIM	SIZE	LOAD AND SPEED INDEX
18	225/55R18	102V
	225/55R18	102W
17	285/65R17	116H
	275/65R17	119H
	265/65R17	112H
	245/65R17	111H
	235/65R17	108V
	235/60R17	108H
	235/60R17C	117/115R
	225/65R17	102H
16	225/60R17	103H
	265/70R16	112H
	245/70R16	111T
	235/70R16	109H
	235/60R16	104V
	225/70R16	107H
	215/65R16	102H

A26 - long mileage and economic tire

PRODUCT FEATURES AND ADVANTAGES

Product performance chart



Performance superiority	Pattern Features	Pattern effect
Quiet and comfortable	 <p>Asymmetrical tread design and streamlined open shoulder grooves greatly reduce the driving noise</p>	<p>Reduce Noise</p>
Security fuel-efficient	 <p>Silica compound and optimized tread blocks decrease the rolling resistance and save more fuel</p>	<p>Lower rolling resistance and fuel economy</p>

PRODUCTLIST

RIM	SIZE	LOAD AND SPEED INDEX
19	155/70R19	113Q
	155/70R19	88H
15	165/80R15	87T
14	205/70R14	95T
	205/60R14	88H
	195/70R14	91T

RIM	SIZE	LOAD AND SPEED INDEX
14	185/80R14	91S
	185/70R14	88T
13	185/70R13	86T
	175/60R13	77T
	155/65R13	73T

A26

HP | Applicable models





➤ A26, an economic tire with comfort, quiet driving, and long mileage.



PRODUCT FEATURES AND ADVANTAGES

Product performance chart



Performance superiority	Pattern Features	Pattern effect
Strong carcass, strong loading capacity	 <ul style="list-style-type: none"> ▶ High-strength carcass structure ▶ Thicken the triangle gum ▶ Optimized contour design 	<ul style="list-style-type: none"> ▶ Loading performance is greatly improved ▶ load performance is greatly improved
Wear-resistant and more durable	 <ul style="list-style-type: none"> ▶ Application of high wear resistance and low heat generation formula 	<ul style="list-style-type: none"> ▶ Longer service life

PRODUCTLIST

RIM	SIZE	PR	LOAD AND SPEED INDEX
16	235/65R16C	-	115/113R
	225/65R16C	-	112/110R
	215/75R16C	-	113/111R
	215/75R16C	-	116/114Q
	215/65R16C	-	106/104T
	215/65R16C	-	109/106R
	205/65R16C	-	107/105T
	195/75R16C	-	107/105S
	195/65R16C	-	100/98T
	195/65R16C	-	104/102T

RIM	SIZE	PR	LOAD AND SPEED INDEX
15	225/70R15C	-	112/110S
	205/70R15C	-	106/104S
	195/70R15C	-	104/102S
	195R15C	8PR	106/104Q
	205R14C	8PR	109/107N
14	195R14C	8PR	105/103Q
	185R14C	8PR	102/100Q
	175/70R14C	6PR	95/93S
12	155R12C	8PR	88/86N

B22

LT | Applicable models



▶ B22 LT tires built for you in an all-round way with stability and economy, are not only wear-resistant, practical, safe and more durable, but also economical.





PRODUCT FEATURES AND ADVANTAGES
Product performance chart



Performance superiority	Pattern Features	Pattern effect
Strong carcass, strong loading capacity	 <ul style="list-style-type: none"> ▶ Reinforced double-layer carcass structure ▶ High tear resistance bead structure technology 	<ul style="list-style-type: none"> ▶ Loading performance is greatly improved
Wear-resistant and more durable	 <ul style="list-style-type: none"> ▶ High wear resistance and low heat generation compound application 	<ul style="list-style-type: none"> ▶ Longer service life

PRODUCT LIST

RIM	SIZE	PR	LOAD AND SPEED INDEX
16	7.50R16	12PR	120/116N
	7.50R16	14PR	122/118N
	7.00R16	12PR	115/110N

RIM	SIZE	PR	LOAD AND SPEED INDEX
16	6.50R16	10PR	107/102N
15	7.00R15	10PR	109/104N



B26

LT | Applicable models



▶ For B26 tires, urban light truck tires, double-layer carcass is more powerful, safer, economical, wear-resistant, and strong load performance.

ANTI-SLIP AND ANTI-FREEZE

WINTER GRIP - Like an ice knight riding over ice and snow

PRODUCT FEATURES AND ADVANTAGES



Product performance chart

Handling performance ●●●●●★○ | Ice and snow road conditions ●●●●●★

Wetland road conditions ●●●●●★○ | Comfort performance ●●●●●★○

Mute performance ●●●●●★○ | Wear resistance ●●●●●★○



Performance superiority	Pattern Features	Pattern effect
Strong grip on ice and snow	 <ul style="list-style-type: none"> ▶ Continuous pattern design in the middle ▶ Studdable snow pattern design ▶ Excellent driving performance 	<ul style="list-style-type: none"> ▶ Improve handling
Studdable	 <ul style="list-style-type: none"> ▶ Improve grip 	<ul style="list-style-type: none"> ▶ Increase friction on ice and snow

PRODUCT LIST

RIM	SIZE	LOAD AND SPEED INDEX
18	235/60R18	107TXL
	225/60R18	104HXL
17	235/65R17	108TXL
	225/65R17	106TXL

RIM	SIZE	LOAD AND SPEED INDEX
16	235/70R16	109TXL
	225/70R16	107TXL
15	235/75R15	109TXL

WINTER GRIP

SNOW TIRE | Applicable models



▶ Excellent driving ability on ice and snow, close adhesion between the tread and the snow, realize the steering direction of the car as people want, the pattern can be studded, and the grip is even more powerful.





ANTI-SLIP AND ANTI-FREEZE

SNOW WHITE II - Like an ice knight riding over ice and snow

PRODUCT FEATURES AND ADVANTAGES

Product performance chart



Performance superiority	Pattern Features	Pattern effect
Strong grip on ice and snow	 <ul style="list-style-type: none"> Dense wave sipes Curved transversely extending grooves+shoulder zigzag grooves Grooves strengthened block design 	<ul style="list-style-type: none"> Ensure good grip on and snow More powerful traction on ice and snow Make handling performance more stable
Studdable	 <ul style="list-style-type: none"> Studdable snow pattern design 	<ul style="list-style-type: none"> Increase friction on ice and snow

PRODUCT LIST



SNOW WHITE II

SNOW TIRE | Applicable models



➤ SNOW WHITE II snow tires not only ensure excellent grip, but also give super traction, without fear of wet and slippery ice and snow, to achieve driving on ice and snow. The pattern can be studded to make the grip more powerful.

RIM	SIZE	LOAD AND SPEED INDEX
22	325/35R22	110H
	295/30R22	103HXL
	285/45R22	114HXL
	285/35R22	106HXL
	275/40R22	107HXL
	265/35R22	102HXL
	265/30R22	97HXL
21	315/40R21	111H
	295/40R21	111VXL
	295/40R21	111HXL
	295/35R21	107HXL
	285/45R21	109H
	275/50R21	115HXL
	275/45R21	110HXL
	265/40R21	105HXL
	265/35R21	101HXL
	255/50R21	106H
	255/35R21	98HXL
	245/40R21	100HXL
	245/35R21	96HXL
	20	295/40R20
285/50R20		116HXL
285/45R20		112HXL
275/55R20		117HXL
275/50R20		113HXL
275/45R20		110H/VXL
275/35R20		102HXL
265/45R20		108HXL
265/40R20		104HXL
255/55R20		110HXL
255/45R20		105HXL
255/40R20		101HXL
255/35R20		97VXL
245/45R20		103HXL
235/55R20	105HXL	
19	275/55R19	111H
	275/40R19	105HXL
	275/35R19	100HXL
	255/50R19	107HXL

RIM	SIZE	LOAD AND SPEED INDEX
19	255/45R19	104HXL
	255/40R19	100HXL
	245/50R19	105HXL
	245/45R19	102HXL
	245/40R19	98HXL
	235/50R19	103HXL
	235/35R19	91HXL
	285/60R18	102HXL
	275/45R18	107HXL
	255/55R18	109HXL
18	245/50R18	104HXL
	245/45R18	100HXL
	235/55R18	104HXL
	235/40R18	95VXL
	225/40R18	92H
	225/60R17	103TXL
	225/45R17	94HXL
17	215/60R17	100TXL
	215/55R17	98HXL
	225/65R16	100T
	215/65R16	102TXL
	215/60R16	99TXL
16	215/60R16	99HXL
	205/60R16	96TXL
	205/55R16	94TXL
	195/60R16	93TXL
	215/70R15	102TXL
	205/65R15	99TXL
	195/65R15	95TXL
	195/60R15	92TXL
	185/65R15	92TXL
	185/60R15	88TXL
185/55R15	86TXL	
15	175/65R15	88TXL
	185/70R14	92TXL
	185/65R14	90TXL
	185/60R14	86TXL
	175/70R14	88TXL
	175/65R14	86TXL



PRODUCT FEATURES AND ADVANTAGES

Product performance chart



Performance superiority	Pattern Features	Pattern effect
Semi-Slick compound application technology	 The perfect combination of advanced compound technology and production technology	Improve the fusion performance of tread and ground
Durability tested by competitions	 Unique tire structure design concept	Provide super support and anti-pricking performance
Bionic pattern design	 The perfect combination of force and beauty	Provides 360 degree accurate grip in high speed drift
Color smoke tire private customization	 Red, blue and green smoke can be produced	Highly ornamental, provide super pleasant visual stimulation experience

RACING KING

RACING KING | Applicable models



➤ RACING KING tires have proven durability and puncture resistance, which can provide 360-degree precise grip during high-speed drifts and achieve true close-to-ground flight; color smoke private customization makes you the focus of attention on the field.



PRODUCT LIST

RIM	SIZE	LOAD AND SPEED INDEX
20	285/40R20	104W
	285/35R20	104W
	275/35R20	102W
19	305/30R19	102W
	285/30R19	98W
	265/30R19	98W
	255/30R19	91W
	235/35R19	91W
	315/30R18	98W
18	285/35R18	101W
	265/35R18	97W
	255/35R18	94W
	235/40R18	95W

RIM	SIZE	LOAD AND SPEED INDEX
18	225/40R18	92W
17	275/40R17	98W
	255/40R17	98W
	235/45R17	97W
	235/40R17	94W
	225/45R17	94W
16	205/40R17	84W
	205/45R16	87W
	195/50R16	84V
15	195/45R16	84W
	205/50R15	86V
	195/55R15	89V
	195/50R15	82V

▶ PRODUCTLIST

PATTERNS	RIM	SIZE	LOADAND SPEEDINDEX	RIM	SIZE	LOADAND SPEEDINDEX	RIM	SIZE	LOADAND SPEEDINDEX	RIM	SIZE	LOADAND SPEEDINDEX	RIM	SIZE	LOADAND SPEEDINDEX
CARRERA RUN-FLAT TIRE	22	315/35R22	111Y	21	245/35R21	96Y	20	225/35R20	93W	17	275/40R18	103W	17	245/45R17	99W
		305/35R22	110W		315/35R21	110V		285/45R19	111W		255/55R18	105W		225/60R17	99V
		285/35R22	106V		295/45R20	114V		275/40R19	105W		255/45R18	103W		225/55R17	101V
		275/40R22	107W		275/50R20	113W		275/35R19	100W		255/40R18	95W		225/50R17	98Y
		355/25R21	107Y		275/40R20	106V		275/30R19	96W		245/50R18	104W		225/45R17	94W
		325/30R21	108W		275/35R20	102W		255/50R19	103W		245/45R18	100W		205/45R17	88W
	21	315/40R21	111W	20	275/30R20	97W	19	255/40R19	100W	18	245/40R18	97W	18		
		285/35R21	107W		265/45R20	108W		255/35R19	96W		235/60R18	103V			
		275/45R21	110W		255/45R20	105V		245/50R19	105W		235/55R18	104W			
		275/35R21	103W		255/30R20	92W		245/45R19	102W		235/50R18	101W			
		275/30R21	98Y		245/45R20	103W		245/40R19	98W		225/50R18	99W			
		265/35R21	101Y		245/40R20	99W		245/35R19	93W		225/45R18	95Y			
245/40R21	100Y	245/35R20	98W	235/45R19	99Y	225/40R18	92W								
CARRERA PRO RUN-FLAT TIRE	22	315/30R22	107Y	21	265/45R21	102Y	20	225/35R20	93W	17	255/45R18	103W	16	205/55R17	95W
		285/45R22	114V		305/40R20	112Y		275/40R19	106V		245/50R18	100W		225/55R16	99W
		285/40R22	110Y		285/50R20	116V		255/55R19	107W		245/45R18	100W		205/60R16	96W
		285/35R22	106Y		275/55R20	117V		255/50R19	107V		235/60R18	103W			
		275/40R22	107Y		275/50R20	113W		245/50R19	105V		235/50R18	101W			
		275/35R22	104Y		275/45R20	110W		245/45R19	102W		225/50R18	99W			
	21	315/35R21	111Y	20	315/35R20	102Y	19	245/40R19	98W	18	225/45R18	95Y	17	225/40R18	92W
		285/45R21	113Y		255/50R20	103W		235/55R19	101W		225/40R18	92W			
		275/50R21	113V		255/45R20	105V		235/45R19	99Y		235/55R17	103V			
		275/45R21	110Y		245/45R20	99W		225/45R19	92W		225/55R17	101V			
		275/40R21	107Y		245/40R20	99W		225/40R19	89W		225/50R17	98Y			
		275/30R21	98Y		245/35R20	95W		255/55R18	109V		225/45R17	94W			
CARRERA	28	405/20R28	114V	26	305/25R21	98Y	25	275/25R20	91Y	24	245/45R19	102W	23	235/50R18	101W
		P405/23R26	114V		295/40R21	111W		265/50R20	111V		245/40R19	100W		235/40R18	95W
		P405/25R24	116V		295/35R21	107W		265/50R20	112V		245/40R19	98W		225/60R18	104V
		315/25R23	102Y		295/25R21	96Y		265/45R20	108W		245/35R19	93W		225/55R18	102W
		285/40R23	111V		285/35R21	107W		255/45R20	105V		235/55R19	101V		225/50R18	99W
		325/35R22	110Y		285/30R21	100Y		255/40R20	101W		235/50R19	103V		225/45R18	95Y
	23	305/40R22	114V	21	305/40R21	110W	20	255/35R20	97W	19	235/35R19	91W	18	225/40R18	92W
		305/35R22	110W		275/35R21	103W		255/35R20	102W		225/55R19	99V		215/35R18	84W
		295/35R22	108W		275/30R21	98Y		255/30R20	92W		225/45R19	92Y		245/45R17	99W
		295/30R22	103W		265/45R21	104W		245/45R20	103W		225/40R19	89Y		235/55R17	103V
		285/45R22	114W		265/40R21	105W		245/40R20	99W		155/70R19	840		235/45R17	97W
		285/35R22	112W		265/35R21	101Y		245/35R20	98W		265/35R18	101W		225/60R17	99V
CARRERA PRO	22	285/35R22	106V	20	245/35R21	96W	19	245/30R20	90W	18	275/40R18	103W	17	225/55R17	101V
		285/25R22	95W		315/35R20	110V		225/35R20	93W		275/35R18	99W		225/50R17	98W
		275/40R22	107W		295/45R20	114V		285/35R19	103W		265/35R18	97W		225/45R17	94W
		265/35R22	102W		295/35R20	105W		285/30R19	98W		255/60R18	112V		215/55R17	98W
		265/30R22	97W		285/50R20	116V		275/40R19	105W		255/55R18	109W		215/45R17	91W
		265/30R22	95W		285/30R20	93W		275/35R19	100W		255/45R18	103W		215/40R17	87W
	21	245/30R22	92W	20	285/25R20	93W	19	275/30R19	96W	18	255/40R18	95W	17	205/50R17	93W
		245/25R22	87W		275/55R20	117V		265/50R19	110V		245/50R18	104W		205/45R17	88W
		375/25R21	111Y		275/50R20	113W		245/45R18	100W		245/45R18	100W		205/40R17	84W
		355/25R21	107Y		275/45R20	111V		255/55R19	111V		245/40R18	97W		215/45R16	90W
		325/30R21	108W		275/40R20	106V		255/50R19	103W		235/60R18	103V		195/55R15	89V
		325/25R21	102Y		275/35R20	102W		255/40R19	100W		235/55R18	104W		195/50R15	82V
CARRERA PRO	22	315/40R21	111Y	21	275/30R20	97W	20	245/50R19	105W	19	235/55R18	104W	18	185/55R15	86T
		325/30R22	109Y		275/30R21	98Y		255/50R20	109V		245/40R19	98W		225/40R18	92W
		315/30R22	107Y		265/45R21	104W		245/45R20	105V		235/55R19	101W		225/45R18	95W
		285/45R22	114V		265/40R21	105W		245/45R20	99W		235/50R19	103V		225/40R18	92W
		285/40R22	110Y		255/45R21	102Y		245/40R20	99W		235/45R19	99Y		225/35R17	103V
		285/35R22	92V		315/35R20	110V		245/35R20	95W		225/45R19	96W		235/45R17	94W
	21	275/40R22	97Y	20	305/40R20	112Y	19	225/35R20	93W	18	225/40R19	93W	17	225/50R17	101W
		275/35R22	94W		285/50R20	116V		275/40R19	106V		255/55R18	109V		225/50R17	96W
		265/40R22	106V		275/55R20	117V		275/35R19	100W		255/45R18	103W		225/45R17	94W
		315/35R21	111Y		275/50R20	113W		265/50R19	110V		245/50R18	104W		205/55R17	95W
		295/40R21	111W		275/45R20	110W		255/55R19	111W		245/45R18	100W		225/55R16	99W
		285/45R21	113Y		275/40R20	106V		255/50R19	107V		245/40R18	97Y		205/60R16	92V
FORMULA 1	24	275/50R21	113V	21	255/40R19	100W	20	235/60R18	103V	19	245/45R18	100W	18	235/50R18	101W
		275/45R21	110Y		265/50R20	112V		235/50R18	101W		235/50R18	101W		235/40R18	95W
		275/40R21	107Y		265/45R20	108W		235/45R19	99W		275/40R19	105W		225/50R18	99W
		335/30R32	116W		265/40R21	107W		275/45R20	111V		275/30R19	96W		215/35R18	84W
		335/25R32	115W		265/35R21	107W		275/30R20	106V		265/50R19	110V		245/45R17	99W
		305/25R32	108W		265/30R21	104W		275/35R20	102W		265/30R19	93W		235/55R17	103V
	23	275/25R30	101W	22	285/35R22	106W	21	255/50R19	107V	20	255/50R19	107V	19	235/45R17	97W
		405/20R28	114V		285/30R22	102W		255/45R20	105W		255/40R19	100W		225/55R17	101V
		295/25R28	103W		265/30R22	97W		285/25R20	93W		245/50R19	105V		225/45R17	94W
		275/25R28	99W		265/25R22	95V		275/55R20	117V		245/45R19	102W		215/55R17	98W
		255/25R28	95V		265/30R22	97W		275/45R20	111V		245/40R19	100W		215/45R17	91W
		305/30R26	109V		265/30R22	95V		275/40R20	106V		265/40R19	103W		215/40R17	87W
26	295/30R26	107V	25	255/25R22	89W	24	275/45R20	111V	23	245/50R19	105V	22	205/40R17	84W	
	295/30R26	107W		245/30R22	92W		265/45R20	108W		245/45R19	102W		215/55R17	98W	
	275/25R26	98W		245/25R22	87W		255/50R20	109V		245/40R19	100W		215/45R17	91W	
	305/35R24	112W		235/30R22	90W		245/45R20	105V		245/40R19	100W		215/40R17	87W	
	275/30R24	101W		225/30R22	87W		255/45R20	105W		235/35R19	91W		205/45R17	88W	
	275/25R24	96W		325/30R21	108W		265/50R20	111V		265/50R19	107V		205/40R17	84W	
22	255/30R24	97W	21	295/40R21	111W	20	265/45R20	108W	19	245/45R19	100W	18	235/50R18	101W	
	245/30R24	94W		285/35R21	107W		255/45R20	105V		245/40R19	93W		235/40R18	87W	
	305/40R23	115V		285/30R21	104Y		255/45R20	105W		235/35R19	91W		235/40R18	87W	
	285/40R23	111V		275/35R21	103W		255/40R20	101W		265/35R18	101W		205/40R17	84W	
	285/35R23	107V		265/45R21	104W		255/35R20	97W		275/40R18	103W				
	305/45R22	118W		265/40R21	105W		245/45R20	103W		275/35R18	99W				

▶ PRODUCTLIST

PATTERNS	RIM	SIZE	LOADAND SPEEDINDEX	RIM	SIZE	LOADAND SPEEDINDEX	RIM	SIZE	LOADAND SPEEDINDEX	RIM	SIZE	LOADAND SPEEDINDEX	RIM	SIZE	LOADAND SPEEDINDEX
PIONEER A/T3	24	33X12.50R24LT	118R	20	LT305/55R20	121/118S	19	255/60R19	113H	18	265/60R18	116H</			